



Fertilization program: POTATO



PLANTING



SPROUTING




VEGETATIVE DEVELOPMENT




















TUBER FORMATION



TUBER DEVELOPMENT



MATURATION

Granulated organomineral fertilizer for soil application	AZELAI Apply as soil dressing or surface fertilizer at 600-800 Kg/Ha, distributing at several applications along the crop cycle 				
Magnesium input	MERISTEM Mg-L 200-400 ml/100 L · Repeat along the crop cycle as needed 				
NPK fertilization by foliar application	MERISTEM RIPENING 				
Potassium input	KAKUN 300-400 ml/100 L · Repeat every 7-14 days 				
Calcium input	CALFRUIT 200-400 ml/100 L  SPEEDFLOW Ca Drip irrigation: 10 L/Ha · Foliar: 300-500 ml/100 L Repeat every 10-14 days as needed   CALIBOR Drip irrigation: 10 L/Ha · Foliar: 200-400 ml/100 L Repeat every 10-14 days as needed  				
Biostimulant: root development enhancer	VIGORTEM-S 2 x 2-3 Kg/Ha · Repeat after 7-10 days 				
Biostimulant: improves flowering and fruit setting, promotes production and helps the plant to overcome stress situations	CTA STYMULANT-4 200-300 ml/100L  STYMULANT FORTE 40-60 g/100L  				
Stimulation of plant self-defense mechanism; phosphorus and potassium input	KAFOM Foliar: 3 x 200-300 cc/Hl · Soil application: 3 x 5 L/Ha · Repeat every 7-10 days as needed   KAFOM Mg Foliar: 3 x 100-300 cc/Hl · Soil application: 3 x 5 L/Ha · Repeat every 7-10 days as needed  				

Note: The above fertilization program it's a general recommendation based on the experience and studies of Quimicas Meristem. It should serve as a guide, having to be adapted to each individual case depending on both local conditions and crop characteristics.



Product certified for eco-friendly agriculture  Foliar application  Root application


Fertilization program: POTATO



PLANTING



SPROUTING




VEGETATIVE DEVELOPMENT
















TUBER FORMATION



TUBER DEVELOPMENT



MATURATION

<p>Biostimulant: improves tuber growth</p>	<p>BULITEM SC 2 x 2-4 L/Ha Repeat after 14 days </p>
<p>Soil conditioners: improve the physico-chemical characteristics of the soil</p>	<p>MADRAM G Saline soil corrector · Soil application · Dose: 40-80 L/Ha, along the crop cycle </p> <p>BIOMADRAM Saline soil corrector · Soil application · Dose: 40-80 L/Ha, along the crop cycle </p> <p>CTA HUMUS Humic acids · 4 x 10 L/Ha · Repeat every 10-15 days </p> <p>HUMIBEST Humic acids · Total dose: 4-6 Kg/Ha, along the crop cycle  </p>
<p>Amino acids: bioestimulant effect and plant recovery in stress periods</p>	<p>SODAM 10 L/Ha during stress periods </p> <p>AMINOMAX N Plant recovery in stress periods: 200-300 ml/100 L · Repeat as needed </p> <p>ETAMIN Plant recovery in stress periods: 200-300 ml/100 L · Repeat as needed  </p>
<p>Deficiency correctors: trace elements</p>	<p>ISTARKA LINE Deficiency correctors with trace elements chelated by lignosulphonates: Zn, Mn, Zn/Mn </p> <p>ETABORO Boron deficiency corrector for foliar application · 300-400 ml/100 L </p> <p>KALTEMI Multiple deficiencies corrector · Trace elements chelated by DTPA · Dosage and frequency depending on the crop needs </p>

Note: The above fertilization program it's a general recommendation based on the experience and studies of Quimicas Meristem. It should serve as a guide, having to be adapted to each individual case depending on both local conditions and crop characteristics.



Product certified for eco-friendly agriculture



Foliar application



Root application