




Fertilization program: WATERMELON



Biostimulant: root development enhancer	VIGORTEM-S 2 Kg/Ha	VIGORTEM-S 2 Kg/Ha
Improvement of pollination and flowering	MOLIBOR EXTRA 2 x 2-3 Kg/Ha Apply at 7 days intervals	
Improvement of fruit setting	MUDRA 100-150 g/100L	
Biostimulant: improves flowering and fruit setting, promotes production and helps the plant to overcome stress situations	LIDEX PREMIUM 3 x 200 g/100L · Repeat every 7-10 days	
	CTA STYMULANT 4 200-300 ml/100L	
	STYMULANT FORTE 40-60 g/100L	
Amino Acids: biostimulant effect and plant recovery in stress periods	SODAM 10 L/Ha · After trasplanting and during stress periods	
	AMINOMAX N Plant recovery in stress periods: 200-300 ml/100 L · Repeat as needed	
	ETAMIN Plant recovery in stress periods: 200-300 ml/100 L · Repeat as needed	
Stimulation of plant self-defense mechanism; potassium input	KAFOM Foliar: 3 x 200-300 cc/HL · Drip irrigation: 3 x 5 L/Ha · Repeat every 7-10 days as needed	
Magnesium input	MERISTEM Mg-L 200-400 ml/100 L · Repeat along the crop cycle as needed	
Calcium input	CALFRUIT 200-400 ml/100 L · Repeat along the crop cycle as needed	
	SPEEDFLOW Ca Drip irrigation:10 L/Ha · Foliar: 200-500 ml/100 L · Repeat along the crop cycle as needed	

Note: The above fertilization program it's a general recommendation based on the experience and studies of Quimicas Meristem. It should serve as a guide, having to be adapted to each individual case depending on both local conditions and crop characteristics.




Product certified for eco-friendly agriculture

Foliar application

Root application

Fertilization program: WATERMELON



Potassium input						KAKUN 400-500 ml/100 L Repeat every 7 days
NPK fertilization by fertigation	MERISTEM 11-40-11	POTAMAX 0-6-47		MERISTEM 20-5-20	MERISTEM 16-7-28 MERISTEM 8-4-42	
NPK fertilization by foliar application						MERISTEM RIPENING
Soil conditioners: improve the physical and chemical characteristics of the soil	MADRAM G Saline soil corrector · Soil application · Dose: 40-80 L/Ha, along the crop cycle					
	BIOMADRAM Saline soil corrector · Soil application · Dose: 40-80 L/Ha, along the crop cycle					
	CTA HUMUS Humic acids · Total dose: 30-40 L/Ha · Apply along the crop cycle					
	HUMIBEST Humic acids · Total dose: 6-8 Kg/Ha · Apply along the crop cycle					
Deficiency correctors: trace elements	ISTARKA LINE Deficiency correctors with trace elements chelated by lignosulphonates: Zn, Mn, Zn/Mn					
	ORTOMAX/ MERISTEM Fe-6 Iron chelated by EDDHA · Dosage and frequency depending on the crop needs					
	ENDOQUEL Multiple deficiencies corrector · Trace elements chelated by EDTA · Dosage and frequency depending on the crop needs					
	KALTEMI Multiple deficiencies corrector · Trace elements chelated by DTPA · Dosage and frequency depending on the crop needs					

Note: The above fertilization program it's a general recommendation based on the experience and studies of Quimicas Meristem. It should serve as a guide, having to be adapted to each individual case depending on both local conditions and crop characteristics.