


Fertilization program: **TOMATO**




	TRANSPLANTING	VEGETATIVE DEVELOPMENT	FLOWERING	FRUIT SETTING	FRUIT ENLARGEMENT	FRUIT RIPENING
Biostimulant: root development enhancer		VIGORTEM-S 2-3 Kg/Ha Repeat after 7-10 days 			VIGORTEM-S 3-6 Kg/Ha Repeat after 10-14 days 	
Improvement of flowering and fruit setting			MOLIBOR EXTRA 2-3 Kg/Ha Repeat at each flowering  			
Biostimulant: enhancer of flowering, fruit setting and fruit enlargement			LIDEX PREMIUM 200-250 g/100L · Repeat every 7-14 days along the fruit development period 		BULITEM PLUS Foliar application: 200-300 ml/100 L Irrigation: 5 L/Ha · 2-3 applications every 7-14 days  	
Biostimulant: improves flowering and fruit setting, promotes production and helps the plant to overcome stress situations			CTA STYMULANT-4 200-300 ml/100L 		STYMULANT FORTE 40-60 g/100L  	
Amino Acids: biostimulant effect and plant recovery in stress periods		SODAM 10 L/Ha after trasplanting and during stress periods 				
		AMINOMAX N For stress recovery during stress situations: 200-300 ml/100 L · Repeat as needed 				
		ETAMIN For stress recovery during stress situations: 200-300 ml/100 L · Repeat as needed  				
Stimulation of plant self-defense mechanism; phosphorus and potassium input		KAFOM Foliar application: 3 x 200-300 cc/HL · Root application: 3 x 5 L/Ha · Repeat every 7-10 days as needed  				
Calcium input		SPEEDFLOW Ca Irrigation: 10 L/Ha · Foliar application: 200-500 ml/100 L · From development of 3rd fruit cluster · Repeat every 10-14 days  				
		CALFRUIT 200-400 ml/ 100 L · From development of 3rd fruit cluster · Repeat every 10-14 days 				
Potassium input		KAKUN 400-500 ml/100 L Repeat every 7-14 days 				

Note: The above fertilization program it's a general recommendation based on the experience and studies of Quimicas Meristem. It should serve as a guide, having to be adapted to each individual case depending on both local conditions and crop characteristics.



Product certified for eco-friendly agriculture  Foliar application  Root application

Fertilization program: TOMATO



	TRANSPLANTING	VEGETATIVE DEVELOPMENT	FLOWERING	FRUIT SETTING	FRUIT ENLARGEMENT	FRUIT RIPENING
NPK fertilization by fertirrigation	MERISTEM 11-40-11		NITROEXPRESS / MERISTEM 14-15-16 / MERISTEM 20-5-10		MERISTEM 16-7-28 / MERISTEM 13-5-30	
NPK fertilization by foliar application						MERISTEM RIPENING
Magnesium input	MERISTEM Mg-L 200-400 ml/100 L · Repeat along the crop cycle as needed					
Soil conditioners: improve the physical and chemical characteristics of the soil	MADRAM G Saline soil corrector · Soil application · Dose: 40-80 L/Ha, along the crop cycle					
	BIOMADRAM Saline soil corrector · Soil application · Dose: 40-80 L/Ha, along the crop cycle					
	CTA HUMUS Humic acids · Dose per year: 30-40 L/Ha, along the crop cycle					
	HUMIBEST Humic acids · Dose per year: 6-8 Kg/Ha, along the crop cycle					
Deficiency correctors: trace elements	LÍNEA ISTARKA Deficiency correctors with trace elements chelated by lignosulphonates: Zn, Mn, Zn/Mn					
	ETABORO Boron deficiency corrector for foliar application 300-400 ml/100 L					
	ORTOMAX/ MERISTEM Fe-6 Iron chelated by EDDHA · Dosage and frequency depending on the crop needs					
	ENDOQUEL Multiple deficiencies corrector · Trace elements chelated by EDTA · Dosage and frequency depending on the crop needs					
	KALTEMI Multiple deficiencies corrector · Trace elements chelated by DTPA · Dosage and frequency depending on the crop needs					

Note: The above fertilization program it's a general recommendation based on the experience and studies of Quimicas Meristem. It should serve as a guide, having to be adapted to each individual case depending on both local conditions and crop characteristics.



Product certified for eco-friendly agriculture



Foliar application



Root application